



AKDO®

CONCRETE JUNGLE

*Metropolitan. Robust. Enduring.
Evoke an urban oasis.*

Far Beyond the Surface



CONCRETE JUNGLE

Atelier



Concrete Jungle 2" x 2" Atelier (Soft)

PO2522-M002ST



Concrete Jungle 12" x 24" Atelier (Soft)

PO2522-1224ST





Concrete Jungle 2" x 2" Factory (Soft)

PO2523-M002ST



Concrete Jungle 12" x 24" Factory (Soft)

PO2523-1224ST







Store



Concrete Jungle 2" x 2" Store (Soft)

PO2521-M002ST



Concrete Jungle 12" x 24" Store (Soft)

PO2521-1224ST



DIMENSIONS

PROFILE	SIZE
2" x 2" Mosaic	11.81" x 11.81" = .970 sqft
12" x 24" Tile	11.81" x 23.62" = 1.937 sqft

APPLICATIONS

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	Yes	Yes	Yes	Yes

TECHNICAL DATA

FEATURES	STANDARD TEST	RESULT
Water absorption	ISO 10545-3	0.05 %
Breaking strength (S)	ISO 10545-4	Thick. 10mm: 2.500 N
Modulus of rupture	ISO 10545-4	50 N/mm ²
Deep abrasion resistance	ISO 10545-6	145mm ³
Linear thermal expansion	ISO 10545-8	$\alpha \leq 7 \cdot 10^{-6} \text{ } ^\circ\text{C}^{-1}$
Stain resistance	ISO 10545-14	5 Resistant
Chemical resistance (*)	ISO 10545-13	LA, HA Resistant
Frost resistance	ISO 10545-12	Resistant
Length and width	ISO 10545-2	Compliant
Straightness of sides	ISO 10545-2	Compliant
Rectangularity	ISO 10545-2	Compliant
Warpage	ISO 10545-2	Compliant
Thickness	ISO 10545-2	Compliant
Slip resistance	ANSI A326.3	DCOF \geq 0.42
Shade variation	ANSI A 137.1	V3
Fire Reaction	EN 13823 EN 9239-1	Class A1 (wall) Class A1 _{f1} (floor)
Thermal conductivity	EN 12524	$\lambda = 1.3 \text{ W/m } ^\circ\text{K}$

(*) Excluding hydrofluoric acid and its derivatives.

Due to the inherent characteristics of porcelain, there may be variations in color, movement and texture from lot to lot.

For detailed installation guidelines, visit akdo.com

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com