

AKDO®

ETHEREAL

Scintillating. Graphic. Breathtaking.

Bring home the light.




Far Beyond the Surface





Ethereal Nova Calacatta (H) w/ Brass
MB1203-NOVAHO



Ethereal Nova Carrara Bella (H) w/ Stainless Steel
MB1604-NOVAHO





Special Order

Ethereal Stella Calacatta (H) w/ Brass

MB1203-STLAHO



Special Order

Ethereal Stella Carrara Bella (H) w/ Stainless Steel

MB1604-STLAHO






Ethereal Luna Calacatta (H) w/ Brass
MB1203-LUNAH0




Ethereal Luna Carrara Bella (H) w/ Stainless Steel
MB1604-LUNAH0



Triangle



Ethereal Flicker Calacatta (H)
w/ Brass
MB1203-FLCKHO



Ethereal Flicker Carrara Bella (H)
w/ Stainless Steel
MB1604-FLCKHO



Ethereal Gleam Calacatta (H)
w/ Brass
MB1203-GLAMHO



Ethereal Gleam Carrara Bella (H)
w/ Stainless Steel
MB1604-GLAMHO



Special Order

Ethereal Prism Calacatta (H)
w/ Brass
MB1203-PRSMHO




Special Order

Ethereal Prism Carrara Bella (H)
w/ Stainless Steel
MB1604-PRSMHO



Special Order

Ethereal Triangle Calacatta (H)
MB1203-AURAO



Ethereal Triangle Carrara Bella (H)
MB1604-AURAO



CONVERSION CHART

PROFILE	SIZE
Stella	10.25" x 8.75" = .63 sqft
Nova	16" x 11-1/4" = 1.25 sqft
Luna	12" x 12" = 1 sqft
Prism	8" equilateral = .19 sqft
Flicker	8" equilateral = .19 sqft
Gleam	8" equilateral = .19 sqft
Ethereal Triangle	8" equilateral = .19 sqft

APPLICATIONS – ETHEREAL MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	Yes, if sealed properly	Yes, if sealed properly	No

APPLICATIONS – ETHEREAL MOSAICS WITH BRASS *

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS – ETHEREAL MOSAICS WITH STAINLESS STEEL *

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

TECHNICAL DATA

FEATURES	RESULT
Heat Resistance	Heat not to exceed 293° F
Traffic	Standard Commercial

*As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

For detailed installation guidelines, visit akdo.com.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com

