

AKDO®

LUCENT

Majestic. Striking. Radiant.


Golden veins dance through pristine white, defining
ethereal beauty in marble.



Far Beyond the Surface



Lucent 12" x 24" (H)
MB2387-1224H0



Lucent 18" x 36" (H)
MB2387-1836H0



Lucent 3/4" (H) Slab
MB2387-SL34H0

DIMENSIONS

PROFILE	SIZE
12" x 24"	12" x 24" = 2 sqft (+/-)
18" x 36"	18" x 36" = 4.5 sqft (+/-)

APPLICATIONS

INTERIOR	EXTERIOR	POOL	TRAFFIC	BACKSPLASH	FIREPLACE SURROUND
Wall and Floor	Non Freeze/Thaw, Wall and Floor	No	Standard Commercial	Yes	Yes

COUNTERTOP	SHOWER
Yes	Wall and Floor; Including Steam

TECHNICAL DATA

FEATURES & STANDARD	SPECIFICATION
DCOF – ANSI A.137.1	Due to the natural characteristics and variation in natural stone, slip resistance will vary. Such factors are dependent on lots, finish and the topical sealant applied. There is currently no standard industry test with the ability to measure the exact slip resistance. To reduce the slipperiness of stone surfaces, AKDO suggests selecting a non-polished finish such as honed, sandblasted, or textured stone, or choosing a mosaic, as the grout joints in the stone result in an increase of friction.

Due to the inherent characteristics of natural stone, there may be variations in color, movement and texture from lot to lot.
For detailed installation guidelines, visit akdo.com.

Product shown on cover:
Lucent 12" x 24" (H) on floor.
Lucent 18" x 36" (H) on wall.
Signature Chair by Carl Hansen & Søn

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com

