

AKDO®

NEXT

Evolved. Invigorating. Fearless.

The future is now.



Far Beyond the Surface





Next Arrow Carrara Bella (H)
w/ Gray Terrazzo
MB1604-0909H0



Next Arrow Ombra (H)
w/ Shadow Terrazzo
MB2426-0909H0




Next Arrow Thassos (H)
w/ White Terrazzo
MB1232-0909H0

NEXT

Diagonal




Next Diagonal Ombra (H)
w/ Shadow Terrazzo
MB2426-0808H0



Next Diagonal Ombra (H)
w/ Shadow Terrazzo & Brass
MB2426-0808H1



Next Diagonal Thassos (H)
w/ White Terrazzo
MB1232-0808H0



Next Diagonal Thassos (H)
w/ White Terrazzo & Stainless Steel
MB1232-0808H1









Hex




Next Hex Carrara Bella (H)
MB1604-HEX8H0



Next Hex Carrara Bella (H)
w/ Gray Terrazzo
MB1604-HEX8H1



Next Hex Carrara Bella (H)
w/ Gray Terrazzo & Stainless Steel
MB1604-HEX8H2




Next Hex Ombra (H)
MB2426-HEX8H0



Next Hex Ombra (H)
w/ Shadow Terrazzo
MB2426-HEX8H1



Next Hex Ombra (H)
w/ Shadow Terrazzo & Brass
Special Order -
MB2426-HEX8H2



Next Hex Thassos (H)
MB1232-HEX8H0



Next Hex Thassos (H)
w/ White Terrazzo
MB1232-HEX8H1



Next Hex Thassos (H)
w/ White Terrazzo & Stainless Steel
MB1232-HEX8H2



CONVERSION CHART

PROFILE	SIZE
Arrow	8.90" x 8.90" = .550 sqft
Diagonal	7.99" x 7.99" = .443 sqft
Hex	7.81" x 9.00" Hexagon = .366 sqft

APPLICATIONS – NEXT MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

APPLICATIONS – NEXT MOSAICS WITH BRASS*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS – NEXT MOSAICS WITH STAINLESS STEEL*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

TECHNICAL DATA

FEATURES	RESULT
Heat Resistance	Heat not to exceed 176° F
Traffic	Standard Commercial

Epoxy grout should be used when installing Next mosaics with metal. A 1/16" grout joint is recommended for all Next mosaics.

For detailed installation guidelines, visit akdo.com.

*As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com