

AKDO®

WISH

Ornamental. Enduring. Dramatic.

Vintage style with contemporary flair.



Far Beyond the Surface



Covet



Wish Covet Calacatta (H)
with Brass
MB1203-COVTH0



Wish Covet Carrara Bella (H)
with Stainless Steel
MB1604-COVTH0



Special Order
Wish Covet Tulip Black (H)
with Stainless Steel
MB1187-COVTH0


Crave



Wish Crave Calacatta (H&P)
MB1203-CRAVHO



Wish Crave Carrara Bella (H&P)
MB1604-CRAVHO



Wish Crave Windstorm (H&P)
MB2345-CRAVHO






Desire



Wish Desire Calacatta (H) with Brass
MB1203-DESRHO



Wish Desire Carrara Bella (H)
with Stainless Steel
MB1604-DESRHO



Special Order
Wish Desire Tulip Black (H)
with Stainless Steel
MB1187-DESRHO






Hope



Wish Hope Calacatta (H) with Brass
MB1203-HOPEHO



Wish Hope Carrara Bella (H)
with Stainless Steel
MB1604-HOPEHO



Wish Hope Tulip Black (H)
with Stainless Steel
MB1187-HOPEHO





Imagine



Wish Imagine Calacatta (H&P)
MB1203-IMAGHO



Wish Imagine Carrara Bella (H&P)
MB1604-IMAGHO



Special Order
Wish Imagine Windstorm (H&P)
MB2345-IMAGHO



WISH

CONVERSION CHART

PROFILE	SIZE
Covet	9.84" x 9.84" = 0.672 sqft (+/-)
Crave	7.87" x 7.87" = 0.43 sqft (+/-)
Desire	7.81" x 9.00" Hexagon = .366 sqft (+/-)
Hope	7.87" x 7.87" = 0.43 sqft (+/-)
Imagine	7.87" x 7.87" = 0.43 sqft (+/-)

APPLICATIONS – WISH MOSAICS WITHOUT METAL

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

APPLICATIONS – WISH MOSAICS WITH BRASS*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	No	No

APPLICATIONS – WISH MOSAICS WITH STAINLESS STEEL*

WALL	FLOOR	INTERIOR	EXTERIOR FREEZE/THAW	STEAM SHOWER	WET AREA	POOL
Yes	Yes	Yes	No	No	Yes, if sealed properly	No

Epoxy grout should be used when installing Wish mosaics with brass. A 1/16" grout joint is recommended for all Wish mosaics.

For detailed installation guidelines, visit akdo.com.

*As a natural material, brass is prone to oxidation; a chemical reaction that occurs over time from exposure to air. Both stainless steel and brass may scratch when used as floor covering.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

