

ARCADIA MILL SILVER PINE (M) *Porcelain*



PART NUMBER
PO2381-MILL00

AVAILABILITY
IN STOCK

DIMENSIONS
7.28" x 7.28" = .368 sqft

NOTES
Available nationwide.

PROFILE
TILE

VARIATION
HIGH

THICKNESS
3/8"

REPEAT
4

GROUT JOINT
1/8"

ORIGIN
Spain

APPLICATION AREA

Due to the inherent characteristics of porcelain, there may be variations in color, movement and texture from lot to lot.

| WALL | FLOOR | TRAFFIC | EXTERIOR FREEZE/THAW | STEAM SHOWER | WET AREA | POOL | BACKSPLASH | FIREPLACE SURROUND |
|------|-------|------------------|-------------------------|-----------------|-------------|------|------------|-----------------------|
| Yes | Yes | Light Commercial | Yes | Yes | Yes | Yes | Yes | Yes |

The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high quality sealers when necessary. Please consult your installer for more information.

TECHNICAL DATA

| FEATURES & STANDARD | SPECIFICATION | FEATURES & STANDARD | SPECIFICATION |
|------------------------------------|------------------------|---|---------------|
| Abrasion Resistance - ISO 10545-7 | Light Commercial PEI 3 | Breaking Strength - ISO 10545-4 | > 1300 N |
| Chemical Resistance - ISO 10545-13 | GLA | Coefficient of Thermal Linear Expansion - ISO 10545-8 | < 9*10-6 ¼C-1 |
| Crazing Resistance - ISO 10545-11 | Resistant | DCOF - ANSI A.137.1 | > 0.47 |
| Frost Resistance - ISO 10545-12 | Resistant | Heat Resistance - 96/603/CE | A1-A1FL |
| Bending Resistance - ISO 10545-4 | > 35N/mm_ | Water Absorption - ISO 10545-3 | > 0.5% |