



ETRO

stunning.

enticing.

mesmerizing.

enthraling.

lose yourself in style.



commercial

hospitality

residential



24" x 24" Tiles



24"x 24" Soft Beige
PO1988-242400



24"x 24" Soft Grey
PO1989-242400



24"x 24" Matt Cobalto
PO1980-242400



24"x 24" Matt Nut
PO1981-242400



24"x 24" Matt Yellow
PO1987-242400





24"x 24" Metal Blue
PO1982-242400



24"x 24" Metal Brown
PO1983-242400



24"x 24" Metal Celeste
PO1984-242400



24"x 24" Metal Grey
PO1985-242400



24"x 24" Metal Red
PO1986-242400

24" x 24" Tiles

ETRO

8" x 24" Tiles



8" x 24" Soft Beige
PO1988-082400



8" x 24" Soft Grey
PO1989-082400



8" x 24" Matt Cobalto
PO1980-082400



8" x 24" Matt Nut
PO1981-082400



8" x 24" Matt Yellow
PO1987-082400



8" x 24" Metal Blue
PO1982-082400



8" x 24" Metal Brown
PO1983-082400



8" x 24" Metal Celeste
PO1984-082400



8" x 24" Metal Gray
PO1985-082400



8" x 24" Metal Red
PO1986-082400

8" x 8" Tiles



8" x 8" Soft Beige
PO1988-080800



8" x 8" Soft Grey
PO1989-080800



8" x 8" Matt Cobalto
PO1980-080800



8" x 8" Matt Nut
PO1981-080800



8" x 8" Matt Yellow
PO1987-080800



8" x 8" Metal Blue
PO1982-080800



8" x 8" Metal Brown
PO1983-080800



8" x 8" Metal Celeste
PO1984-080800



8" x 8" Metal Gray
PO1985-080800



8" x 8" Metal Red
PO1986-080800


Hexagon Mix




Hexagon Mix 1
Soft Beige, Matt Nut,
Matt Yellow
PO1988-ESAG00



Hexagon Mix 2
Soft Grey, Soft Beige,
Matt Cobalto
PO1989-ESAG00



Hexagon Mix 3
Metal Celeste, Metal Grey,
Metal Blue
PO1984-ESAG00



Hexagon Mix 4
Metal Red, Metal Grey,
Metal Brown
PO1986-ESAG00

FLOOR & WALL COVERING TECHNICAL FEATURES

PHYSICAL PROPERTIES		
WATER ABSORPTION	ISO 10545.3	≤0.5%
BENDING STRENGTH	ISO 10545.4	>35N/mm ²
SKID RESISTANCE	DIN 51130	MATT & SOFT = R9 METAL = R10 METAL DCOF BOT 3000 ANSI A 137.1:2012>0.42
RESISTANCE TO ABRASION	ISO 10545.7	MATT & METAL = CLASS 3 PEI 750 GIRI SOFT = CLASS 4 PEI 6.000 GIRI
RESISTANCE TO THERMAL SHOCK	ISO 10545.9	RESISTANT
RESISTANCE TO FROST	ISO 10545.12	RESISTANT
CHEMICAL PROPERTIES		
RESISTANCE TO STAINS	ISO 10545-14	CLASS 5
RESISTANCE TO CHEMICALS	ISO 10545.13	ETRO MATT & SOFT = GA GLA GHA ETRO METAL = GA GLB

TILE CONVERSION CHART

PROFILE	UNIT	FIELD
8" x 8"	piece	0.43 sqft
8" x 24"	piece	1.292 sqft
24" x 24"	piece	3.875 sqft
Hexagon Mix	piece	1.05 sqft



A · K · D · O™

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o) ■ 203.336.0603 (f)

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o) ■ 510.785.0895 (f)

USA ■ TURKEY ■ CHINA

 **SILKAR**[®]
A Mining & Trading Corporation